AP/IB Chemistry Summer Assignment Mrs. Kilpatrick Brandy.kilpatrick@stjohns.k12.fl.us

Welcome to AP/IB Chemistry2. I look forward to having you as part of my AP chemistry class this year. AP chemistry is a fast paced course and can be challenging. As difficult as AP chemistry can be, it is a wise choice to take the class now instead of waiting until your freshmen year of college. This class will put you ahead of your soon to be college peers and keep you on track. Remember that I am here to help you, and anytime you feel lost seek help!! This summer assignment is designed for you to review the basics of what is needed to move forward in the course. You will have a quiz on this material upon your return next school year. My website is chempatrick.com On the website there are videos for you to review these concepts such as dimensional analysis, significant figures, nomenclature, and atomic structure, rxns, and stoichiometry. Please use these videos as needed to work through the packet. Please also make sure to sign up for my remind by texting 81010 and put this into the message @ 3866472 You need to sign up to the remind to gain access to my website chemipatrick.com. I will send a remind to give the username and password.

Please feel free to email me over the summer if you have any questions.

Sincerely, Ms .Kilpatrick

AP WORKSHEET 00a: Significant Figures

1. Determine the number of significant figures in each of the following. (6)

3.

4.

	(a)	0.7680
	(b)	1230.00
	(c)	1000.01
	(d)	120.0
	(e)	1.09×10^4
	(f)	0.0080060
2.		a calculator to find the results of the following and then round the answer to the correct ober of significant figures. (6)
	(a)	34.66 + 333.0
	(b)	1.23 + 9.66
	(c)	445 - 1.22
	(d)	18.2 + 1.998
	33 _A	10.2-1.3 Chemistry Pages 100-23
Stat	e the	e significant figure rule that is associated with "captive zeros". (1)
Stat	e the	e significant figure rule that is associated with "leading zeros". (1)
5.	Sta	te the significant figure rule that is associated with "trailing zeros". (1)
6.	Sta	te the significant figure rule that is associated with addition and subtraction operations. (1)
7.	Sta	te the significant figure rule that is associated with multiplication and division operations.

- 8. Use a calculator to find the results of the following calculations and then round the answer to the correct number of significant figures. (6)
 - (a) 12 x 11.45
 - (b) $(1.23 \times 10^3) \times (6.4 \times 10^2)$
 - (c) 5.233 x 6.324
 - (d) 34 / 22
 - (e) $(1.8 \times 10^5) / 14$
 - (f) 100.23 / 5.22
- 9. Round each of the following to three significant figures. (6)
 - (a) 167.789
 - (b) 0.0000456922
 - (c) 23.00567
 - (d) 3.4569
 - (e) 7903.0005
 - (f) 11.044 Chemistry Pages
- 10. How many significant figures in each of the following? (6)
 - (a) 654.001 nm
 - (b) 6.02 x 10²³ particles
 - (c) 1.0079 g
 - (d) 13 neutrons
 - (e) 11.22201 mg
 - (f) 0.004504 g

Unit Conversions

AP WORKSHEET 00b: Unit Conversions

This worksheet utilizes the conversions given at this web site http://www.onlineconversion.com

1. Perform the following conversions. In each case show the full, dimensional analysis. Source any conversion factors from the web site above. An example is given below. (6)

Question: 3.00 cm to mm.

Answer:
$$\left(\frac{3.00 \text{ cm}}{1 \text{ cm}}\right) \left(\frac{10 \text{ mm}}{1 \text{ cm}}\right) = 30 \text{ mm}$$

- (a) 120 J to MJ
- (b) 3 m to cm
- (c) 400 miles to km
- (d) 25 hectares to acres
- (e) 34 inches to ft
- (f) 289 s to hrs
- Perform the following conversions. In each case you do NOT need to show the full, dimensional analysis. Source any conversion factors from the web site above. (6)
 - (a) 120000 J to kJ
 - (b) 13 kg to lbs
 - (c) 83.2 K to °C
 - (d) 48 mins to ms
 - (e) 34 °F to °C
 - (f) 13.2 kg to lbs

Perform the following sequences of conversions. In each case show the full, dimensional analysis. Source any conversion factors from the web site above. An example is given below.

(6)

Question: 3.00 cm to m VIA mm.

Answer:
$$\left(\frac{3.00 \text{ cm}}{1 \text{ cm}}\right) \left(\frac{10 \text{ cm}}{1 \text{ cm}}\right) \left(\frac{0.001 \text{ m}}{1 \text{ cm}}\right) = 0.03 \text{ m}$$

- (a) 679 nm to cm VIA m
- (b) 23 miles to m VIA km
- (c) 567 feet to m VIA yd
- (d) 12 L to UK gal VIA mL
- (e) 8 MJ to J VIA kJ
- (f) 418 s to hrs VIA min



Dimensional Analysis Practice-Derived Units

Conversion Factors

1.0 m=1.094 yd, 1.000 mile =1760 yd, 1.000 kg=2.205 lbs $1 \text{ m}=10^9 \text{ nm} \quad 1 \text{ m}=10^6 \text{ micrometers} \quad 1 \text{ in}=2.54 \text{ cm}$

- 1.Perform each of the following conversions.
- a) 8.43 cm to mm
- b) 2.41 x 10² cm to m
- c) 294.5 nm to cm
- d) 1.445 x 10⁴ m to km
- e) 903.3 nm to micrometers

Dimensional Analysis Practice-Derived Units

Conversion Factors

1.0 m=1.094 yd, 1.000 mile =1760 yd, 1.000 kg=2.205 lbs 1 m= 10^9 nm 1 m= 10^6 micrometers 1 in=2.54 cm

- 1. Perform each of the following conversions.
- a) 8.43 cm to mm
- b) 2.41 x 10² cm to m
- c) 294.5 nm to cm
- d) 1.445 x 10⁴ m to km
- e) 903.3 nm to micrometers

Density Conversions

Remember d=m/v also density can be used as a conversion factor between volume and mass So a density of 4.0 g/ml is the same thing as saying 4.0g=1 mL

Conversions including cubed units

If you were to convert in³ into cm³ you can use the conversion factor 1 in=2.54 cm, but you must cube it first, so it would be 1 in³ = 16.38 cm³

- 2. A material will float on the surface of a liquid if the material has a density less than that liquid. Given that the density of water is approximately 1.0 g/mL, will a block of material having a volume of 1.2×10^4 in³ and weighing 350 lb float or sink when placed in a reservoir of water?
- 3. Diamonds are measured in carats, and 1 carat=0.200 g. The density of a diamond is 3.51 g/cm³
- A) what is the volume of a 5.0-carat diamond?
- B) what is the mass in carats of a diamond measuring 2.8 mL?
- 4. The density of pure silver is 10.5 g/cm³. If 5.25 g of pure silver is added to a graduated cylinder containing 11.2 mL of water. What volume level will the water in the cylinder rise?
- 5. Use the following exact conversion factors to perform the stated calculations
- 5.5 yards=1 rod
- 40 rods=1 furlong
- 8 furlongs= 1 mile
 - a) The Kentucky Derby race is 1.25 miles. How long is the race in rods, furlongs, and kilometers?
 - A marathon is 26 miles and 385 yards. What is this distance in rods, furlongs, meters, and kilometers
- 6. You are driving 16.5 mi/hr and take your eyes off the road for just one second. What distance do you travel in feet in one second. Remember if you doing a conversion using a speed, do not start with that conversion factor.
- 7. Calculate the density of an object in g/ml, if the mass is 2.0 kg and the volume is 4.0 m^3
- 8. What is the mass in pounds of an object that has a density of 3.2 g/ml and has a volume of 3.0 in³

Polyatomic ions:

			Positive ions	w		
1+ ion:	Ammoniu	n NH ₄ ¹⁻	Hydro	nium H ₃	O ⁺	
			Negative ions	-	•	
	1- ions		2- io		3- i	
Acetate		$C_2H_3O_2^{1-}$	Carbonate	CO ₃ ² -	Phosphate	PO ₄ ³⁻
Chlorate		ClO ₃ ¹ -	Chromate	CrO ₄ ²		
Chlorite		ClO_2^{1-}	Dichromate	$Cr_2O_7^{2-}$		
Cyanide		CN ¹⁻	Hydrogen	HPO ₄ ² -		
		65	Phosphate			
Dihydroge	en Phosphate	$H_2PO_4^{1-}$	Peroxide	O_2^{2-}		
Hydrogen	Carbonate	HCO ₃ ¹ -	Sulfate	O_2^{2-} SO_4^{2-}		
Hydrogen	Sulfate	HSO ₄ ¹ -	Sulfite	SO_3^{2-} $S_2O_3^{2-}$		
Hydroxide		OH^{1-}	Thiosulfate	$S_2O_3^{2-}$		
Hypochlor	rite	ClO ¹⁻				
Nitrate		NO_3^{1-}				
Nitrite		NO_2^{1-}				
Perchlorat	e	ClO ₄ ¹ -				
Permangar	nate	MnO_4^{1-}				
Thiocyana	ite	SCN1-				

AP WORKSHEET 00e: Inorganic Nomenclature I

1. The following compounds are all binary compounds. Give the name of each one. (6)

	(a)	SrO
	(b)	K ₂ O
	(c)	Na ₂ S
	(d)	Cs ₃ P
	(e)	AICI ₃
	(f)	Mg_3N_2
2.		ne of the following name and formula combinations are incorrect. Identify the correct binations. For the others, suggest corrected combinations. (13)
	(a)	barium hydroxide, BaOH ₂
	(b)	sodium oxide, SoO ₂
	(c)	barium chloride, BCI ₃
	(d)	strontium oxide SrO ₂
	(e)	vanadium (III) chloride, VCl ₃
	(f) _A	vanadium (III) chloride, VCl ₃
	(g)	magnesium oxide, MgO ₄
3	3. V	/rite the name of the following compounds. Use Roman numerals in the names. (7)
	(a	a) Fel ₃
	(t	o) MnCl ₂
	(0	s) HgO
	(0	d) Cu ₂ S
	(6	e) CuS
	(f) Snl ₄
	(9	g) MnBr ₂

4.	to d	te tne name or eacn or tne rollowing. To neip get tne etermine which elements are metals, which are non- ude Roman numerals in their names. (16)		
	(a)	N_2Br_5		
	(b)	P_2S_5		
	(c)	Ge_2O_3		
	(d)	N_2O_5		
	(e)	SiO ₂		
	(f)	AlH ₃		
	(g)	FeO		
	(h)	CuCl ₂		
	(i)	OCI ₂		
	(j)	XeF ₆		
	(k)	RaCl ₂		
	(I)	SeCl ₂	- D	
	(m)	Chemistr	v rac	les
	(n)	Na ₃ P		
	(o)	CuF		

(p) V₂O₅

Add either a name or a formula to complete each table. (100)

Potassium dichromate	Rate	ack & Support	
2. Lithium sulfide	About	Xnip	
3. Potassium bromide	Quit X	nip 96Q	
4. Cesium iodide			
5. Calcium phosphide			
6. Sodium fluoride			
7. Strontium oxide			
8. Beryllium sulfide			
9. Magnesium bromide			
10. Lithium oxide			
11. Strontium chloride			
12. Barium <mark>brom</mark> ide	S. 10 1 K. 1	STE N	
13. Magnesium sulfide		В	
14. Magnesium iodide	STIV	Pades	
15. Hydrogen fluoride (Hydrogen monofluoride)			
16. Barium phosphide			
17. Sodium hydrogen phosphate			
18. Potassium chloride			
19. Lithium nitride			
20. Calcium sulfide			

	7 [0]0]0]0]000
26. Dinitrogen Tetraoxide	
27. Carbon dioxide	Rate
28. Mercury(I) chloride	Oull Xnin SEO
29. Hydroiodic acid	
30. lodic acid	
31. Perbromic acid	
32. Hypobromous acid	
33. Phosphorus pentachloride	
34. lodine monochloride	
35. Antimony(III) fluoride	
36. Bromine monofluoride	
37. Bromine dioxide	
38. Dinitrogen pentoxide	
39. Carbon monosulfide	I DINIELE 5
40. Tellurium dioxide	try Dagge
41. Phosphorus tribromide	suy rayes
42. Carbon tetraiodide	
43. Vanadium(V) chromate	
44. Zinc carbonate	
45. Silver hydroxide	
46. Vanadium(III) chromate	

51. ScCl ₃	
52. HCl	
53. PtO ₂	
54. Sb(ClO ₃) ₅	
55. GeS ₂	
56. ZnO	
57. VSO ₄	
58. CuCl ₂	
59. TiO ₂	
60. NiN	
61. Ni ₃ (PO _{4/2}	
62. CoF ₃	
63. Au ₂ O ₃	
64. Zn ₃ P ₂	A WEIGHT CO
65. Cr(NO ₃) ₆	pictry Pages
66. NaIO ₂	libuy rayes
67. NaIO ₃	
68. Nal	

76. Li ₃ PO ₃	
77. KHCO ₃	
78. HF	
79. Aul ₂	
80. KMnO ₄	
81. Na ₂ Cr ₂ O ₇	
82. Ag ₂ CrO ₄	
83. AgCl	
84. NaCH₃COO	
85. RaF ₂	
86. KSCN	
87. FeS	
88. Fe ₂ (SO ₃) ₃	
89. FeSO ₄	WE TO I IN THE TE
90. MgS 91. Na ₂ S ₂ O ₃	stry Pages
92. RbCl 53	
93. Cu(OH) ₂	
94. Mg ₃ N ₂	
95. Cu₃N	
96. LiH	
97. K ₂ O	

AP WORKSHEET 00g: Inorganic Nomenclature III (Acids)

1. Write the formula of each of the following acids. (14)

	(a)	Nitric acid
	(b)	Chloric acid
	(c)	Hydrochloric acid
	(d)	Sulfurous acid
	(e)	Chlorous acid
	(f)	Hydrobromic acid
	(g)	Phosphoric acid
2.	Na	me the following acids. (14)
	(a)	HCIO ₃
	(b)	H ₃ PO ₄
	(c)	н
	(d)	H₂SO₃
	(e)	HNO ₃
	(f)	HF
	(g)	HC ₂ H ₃ O ₂

Chemistry Basics

Classify the following as either chemical or physical changes. (3)

- (a) Ice melting
- (b) Gasoline burning
- (c) Evaporation of perfume from an open bottle

Classify the following as either quantitative or qualitative observations. (4)

- (a) My eyes are brown

 (b) My neck size is 17 inches
- (c) My average grade last year was 79%
- (d) Physics is a difficult subject

Convert these numbers to scientific notation. (2)

- (a) 35800000000000
- (b) 0.00000000821
- Round the following numbers to four figures. (6)
 - (a) 2.16347×10^5
 - (b) 4.000574 x 10⁶
 - (c) 3.682417
 - (d) 7.2518
 - (e) 375.6523
 - (f) 21.860051

(Typo the top number should be the bigger number)
Consider the following pairs; does either pair represent a pair of isotopes? Explain. (4)

- (a) 11 Na₂₃ and 11 Na₂₄ nemistry Pages
- (b) 11Na₂₄ and 12Mg₂₄

Determine the number of protons, electrons and neutrons in each of the following isotopes. (3)

- (a) 79Au₁₇₁
- (b) ⁷⁹Au₁₈₂
- (c) 35Br 79

Write Rxns

Here's your updated and expanded worksheet, now with a dedicated section where students will write the net ionic equations for all double replacement reactions (highlighted within the main list).

Chemical Reaction Prediction Worksheet – Word Equations

Name:

Date:

Class:

For each chemical reaction below:
Write the full balance equation, if it is a double replacement rxn, write the net as well
1. Sodium reacts with chlorine gas
2. Calcium carbonate decomposes when heated
Reaction Type:
Balanced Equation:
3. Aluminum metal reacts with copper(II) sulfate solution
Reaction Type:
Balanced Equation:
4. Ethanol (C ₂ H ₅ OH) combusts in the presence of oxygen
Reaction Type:
Balanced Equation:
5. Hydrochloric acid reacts with sodium hydroxide
Reaction Type: Double Replacement
Balanced Equation:
Net Ionic Equation:
6. Aluminum reacts with oxygen gas
Reaction Type:
Balanced Equation:

7. Lead(II) nitrate reacts with potassium iodide
Reaction Type: Double Replacement
Balanced Equation:
Net Ionic Equation:
8. Potassium chlorate decomposes when heated
Reaction Type:
Balanced Equation:
9. Zinc reacts with hydrochloric acid
Reaction Type:
Balanced Equation:
10. Magnesium oxide reacts with water
Reaction Type:
Balanced Equation:
11. Sodium carbonate reacts with hydrochloric acid
Reaction Type: Double Replacement
Balanced Equation:
Net Ionic Equation:
12. Barium nitrate reacts with sodium sulfate
Reaction Type: Double Replacement
Balanced Equation:
Net Ionic Equation:

13. Calcium reacts with water
Reaction Type:
Balanced Equation:
14. Barium chloride reacts with sodium sulfate
Reaction Type: Double Replacement
Balanced Equation:
Net Ionic Equation:
15. Magnesium metal reacts with hydrochloric acid
Reaction Type:
Balanced Equation:
16. Copper(II) oxide decomposes when heated
Reaction Type:
Balanced Equation:
17. Lithium reacts with nitrogen gas
Reaction Type:
Balanced Equation:
18. Acetic acid reacts with potassium hydroxide
Reaction Type: Double Replacement
Balanced Equation:
Net Ionic Equation:

19. Methane combusts in oxygen

Reaction Type:

Balanced Equation:

20. Silver nitrate reacts with sodium chloride

Reaction Type: Double Replacement

Balanced Equation:

Net Ionic Equation:

Mole Calculations and Stoich

Question 1
A sample of Ge is found to contain 9.7 x 10^{23} atoms of Ge. How many moles of Ge atoms are in the sample? (1)
Question 2
How many W atoms are found in 0.43 moles of pure W? (1)
Question 3
What is the mass in grams of 0.531 moles of Sn? (1)
Question 4
How many moles of Ca are in 2.03 g of Ca? (1)
Question 5
5.00 moles of a binary, group II oxide are found to have a mass of 521 g. Identify the group II metal. (2)

Question	6

How many Ta atoms are found in a 1.231 g sample of Ta? (2)

Question 7

What is the mass of 8.11 x 10^{23} atoms of Sulfur? (2)

Question 8

What mass of Cu atoms have the same number of atoms as there are in a 4.21g sample of Si? (2)

Calculate the percent by mass composition of dimethylether, CH₃OCH₃. (2)

Question 10

What is the percent by mass composition of aluminum sulfate? (2)

Question 11

A compound that contains a complex ion has the formula $Al_4[Fe(CN)_6]_3$. What is the percent by mass composition of this compound? (2)

• TYPE 5: Empirical formula.

Question 12

A compound containing silver and chlorine contains 75.3% Ag. What is the empirical formula of the compound? (2)

Question 13

In a vigorous chemical reaction, 1.403 g of sodium metal is completely reacted with 1.159 g of fluorine gas. What is the empirical formula of the compound formed? (3)

Question 14

What is the molecular formula of hydrocarbon that has an empirical formula of CH and a molecular mass of 78 gmol⁻¹? (1)

Question 15

A compound contains 48.65% carbon, 8.108% hydrogen, and the remainder oxygen. The molecular mass of this compound is approximately 74.00 g/mol. What is the empirical formula? What is the molecular formula? (3)

• TYPE 7: Combustion analysis.

Question 16

The combustion of 4.000 g of a compound that contains only C, H, N and Br yields 3.826 g of CO_2 and 2.087 g of H_2O . Another sample of the compound with a mass of 3.111 g is found to contain 1.803 grams of Br. What is the empirical formula of the compound? (6)

Question 17

Propane will combust according to the	reaction below. If 11.1	g of Propane produces 23.3	3 g
of CO ₂ when burned in excess oxygen	, what is the % yield? (3)	

$$C_3H_8 + 5O_2 \rightarrow 3CO_2 + 4H_2O$$

• TYPE 9: Limiting reactant.

Question 18

Consider the reaction between Iron and anhydrous Copper (II) sulfate that produces Iron (II) sulfate and Copper metal.

- (a) Write an equation for the reaction. (2)
- (b) If 120. g of Fe are reacted with 200. g of Copper (II) sulfate, identify the limiting reagent. Which reagent is in excess? (2)

- (c) Calculate the mass of Copper formed. (2)
 - d) calculate the amount of excess leftover

Question 21

Calculate the volume of 0.120 M sulfuric acid that must be diluted with water to produce 3.00 L of 0.018 M sulfuric acid. (2)

Question 20

Calcium hydrogen carbonate, Ca(HCO₃)₂, reacts with HCl according to the equation below.

$$Ca(HCO_3)_2 + 2HCI \rightarrow CaCl_2 + 2CO_2 + 2H_2O$$

(a) What volume of 0.235 M HCl solution must be present to totally react with 0.140 moles of the calcium compound? (2)

(b) How many moles of water are produced when 0.491 g of the calcium compound combines with excess HCI? (2)